APPROVED
Isaac Hamilton Rhodes, Mayor of the City of Durham, N.C.
Date: October 15, 1938

SUBMITTED
Ahmed Pratt No. 13432
CHIEF ENGINEER, ENGINEERING DEPARTMENT
Ed Draper
DRAFTSMAN

SHEET No. 5 of 13 SHEETS

CONSTRUCTED AT THE MUNICIPALITY OF DURHAM

TOBACCO STEMMERY

Date: No. 16-1937

Project No. 4074-5

DEPARTMENT OF PUBLIC WORKS
ENGINEERING DIVISION
DURHAM, N.C.
DEPARTMENT OF PUBLIC WORKS
DURHAM, N.C.
ENGINEERING DIVISION
PLANNED AND CHIEF ENGINEER
DESIGNED BY
DRAWN BY
CHECKED BY
Date: 1/7/38
Scale: 1/16" = 1'-0"

PLOT PLAN
SCALE: 1/16" = 1'-0"

DETAIL OF ROOF & DRAIN
SCALE: 1/2" = 1'-0"

NOTES:-
1- All Vent Stacks Shall Be Carried Not Less Than 4' Above Parapet Wall.
2- Roof Shall Have a Pitch of 1/4" to 1 Foot
Formed With 3-ply Carnervoss Concrete Fill Over Metal Slab.
3- Cement Mortar 1/2 Thick and Finished With Trowel Shall be Used for Fill Under Tile Finish for the Roof Surface.

STRUCTURE FOR DRYING